

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.



Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

OFNEDAL	P C311W		M C251FW
GENERAL			
Configuration		Desktop	
Fechnology		Laser 20 seconds	
Varm-up time First output speed: B/W		20 seconds 9.4 seconds	
First output speed: full colour		9.4 seconds	
Continuous output speed		25 ppm	
Memory: standard		256 MB	
Memory: maximum		256 MB	
SPDF capacity (M C251FW)	50 sheets	230 IVID	
Outy cycle	JU SHEELS	65,000	-
Duplex		Yes	
Veight	25 kg		30 kg
Dimensions: W x D x H	400 x 450 x 334 mm		420 x 493 x 473 mm
Power source		220 - 240 V, 50 - 60 Hz	
COPIER (M C251FW)			
fultiple copying	Up to 99 copies		-
Zoom	From 25% to 400% in 1% steps		-
O card copy	Yes		-
RINTER			
rinting process	Laser bear	m scanning, electro-photograph	nic printing
Printer language: standard	F	PCL5c, PCL6, PostScript® 3™	
Print resolution		2,400 x 600 dpi	
ont	Stand	lard: PCL (80 fonts), PS3 (80 f	onts)
letwork interface: standard		pase-TX, Wireless LAN (IEEE 8	
Nobile printing capability		Apple AirPrint, Mopria®	
Vindows® environments		Windows® 8.1	
		Windows® 10	
		Windows® Server 2012	
		Windows® Server 2012R2 Windows® Server 2016	
		Windows® Server 2019	
Mac OS environments		Macintosh OS X v10.10 - v11	
Other supported environments		Linux environment	
SCANNER (M C251FW)			
Scanning: B/W	21 ipm		_
Scanning: full colour	12 ipm		-
Resolution: maximum	1,200 dpi		-
Resolution: standard	600 dpi		-
Bundled drivers Scan modes	Network TWAIN E-mail,Folder,USB		-
carrinodes	E-mail,Folder,USB		-
AX (M C251FW)			
circuit	PSTN		-
Compatibility	ITU-T(T.37) Internet-Fax		-
ransmission speed Modem speed: maximum	3 seconds 33.6 Kbps		-
nternet fax	Standard		-
AN fax	Standard		-
PAPER HANDLING			
Recommended paper size		A4, A5, A6, B4, B5	
Paper input: standard		250 sheets	
Paper input: bypass		1 sheets	
Paper input: maximum		751 sheets	
Paper output: standard		150 sheets	
Paper weight		Trays: 60 - 163 g/m ²	
		Optional tray(s): 60 - 105 g/m²	
		Bypass: 60 - 163 g/m ²	
		Duplex: 60 - 90 g/m ²	
COLOGY Power consumption: operation	B&W: 412 W, Full colour: 450 W		B&W: 422 W, Full colour: 444 W
	B&W: 412 W, Full colour: 450 W 0.3 kWh/week		B&W: 422 W, Full colour: 444 W 0.31 kWh/week


1x 500-sheet paper tray

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

750

P C311W M C251FW









COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh Europe (Netherlands) B.V.

"Nieuw Kronenburg" Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5774111



ricoh-europe.com

